



BX2380 - RCR1248 + QH05 Quick Hitch

PERFORMANCE MATCHED IMPLEMENTS FOR KUBOTA BX, B, L AND MX SERIES

CONTENTS

02 / LAND PRIDE OFFER

04 / SUB-COMPACT TRACTOR

06 / PREMIUM COMPACT TRACTOR

07 / MID-SIZED TRACTORS

09 / PROFESSIONAL TRACTORS

12 / MOWERS

16 / LAWN CARE EQUIPMENT 17 / GENERATORS

18 / UTILITY VEHICLES

20 / KRONE

24 / KUBOTA IMPLEMENTS

26 / GREAT PLAINS



Purchase a new Kubota BX, B, L or MX Series tractor and add any two Land Pride implements to

RECEIVE A FREE QUICK HITCH.

Add a third implement for even more savings!

BX Series Offer

A free Land Pride QH05
Quick Hitch worth \$495
with the purchase of
any 2 Land Pride
AG implements and get
\$500 towards one further
Land Pride implement
with a new
BX Series tractor.

B. L & MX Series Offer

A free Land Pride QH10
Quick Hitch worth \$968
with the purchase of
any 2 Land Pride
AG implements and get
\$500 towards one further
Land Pride implement
with a new B, L & MX
Series tractor.

WHAT IS A QUICK HITCH?

Make switching between Land Pride implements a breeze with the Land Pride Quick Hitch.

The QH05 Quick Hitch is specifically designed for BX tractors while the QH10 is a better match for the B, L and MX Series. Spring loaded levers and automatic locks on the lower link attachment points mean many implements can be changed without leaving the tractor seat.

























FREE QUICK HITCH OFFER - BX SERIES"

A free Land Pride QH05 Quick Hitch worth \$495 with the purchase of any 2 Land Pride AG implements and \$500 towards one further Land Pride implement with a new BX Series tractor.



BX2380 - PD10 Post Hole Digger

ALL-PURPOSE TRACTOR RANGE

BX SERIES 18-25.5HP

SUB-COMPACT TRACTOR

KUBOTA POWERED

Equipped with 3-cylinder, liquid-cooled Kubota diesel engines and 2-range hydrostatic transmission controlled by a single foot pedal for simple operation

ATTACHMENTS

Switching between mowing lawns and front end loader work has never been easier. The BX loader can be attached without leaving the driver's seat

OPERATOR AREA

Deluxe reclining high back seat, spacious operator area, cruise control and easy to reach controls



BX2380 - BB1260 Box Blade + QH05 Quick Hitch

SET FOR SPRING PACKAGE BX2380 23HP tractor
Front-end loader with std. bucket
54" Mower Deck
170kg Counterweight

RCR1248 1.2m Rotary Cutter
DH1048 1.2m Disc Harrow
PD10 Post Hole Digger with 6" Auger
QH05 Quick Hitch

PACKAGE TOTAL \$31,999
RR.P. ING. GST

TOTAL SAVINGS
\$3,995



BX2380 - DH1048 Disc Harrow + QH05 Quick Hitch

*0% comparison rate based on \$10,000 secured loan with 36 monthly repayments. For both business and consumer borrowers. This offer is only available with a minimum 20% deposit, 36 monthly repayments and a minimum financed amount of \$4,000. Credit criteria applies. No upfront fees or account keeping fees. Fees may apply depending how loan is conducted. Credit provided by Kubota Australia Pty Ltd ABN 72005300621, Australian Credit Licence Number 442007. "WARNING" The comparison rate is true only for the examples given and may not include all fees and charges. Different terms, fees or other loan amounts may result in a different comparison rate. This finance offer is available until 31/10/20 and applies to new BX Series models." Refer to page 2 for promotion terms.





FREE QUICK HITCH OFFER - B & L SERIES"

A free Land Pride QH10 Quick Hitch worth \$968 with the purchase of any 2 Land Pride AG implements and \$500 towards one further Land Pride implement with a new B & L Series tractor.



L5740HDCA

B SERIES 23-31HP

PREMIUM COMPACT TRACTOR

KUBOTA DIESEL ENGINE

Smooth running 3 or 4-cylinder diesel engines

B2601

TRANSMISSION

Proven Kubota hydrostatic transmission with 3-range speed shifting to provide the right speed to suit your task

ATTACHMENTS

Quick attach front-end loader, mower deck and backhoe available to tackle almost any job

L40 SERIES 35-57 HP

PREMIUM MID-SIZE TRACTOR

KUBOTA DIESEL ENGINE

Kubota environmentally-friendly engine

TRANSMISSION

HST plus transmission with Stall Guard, Dual Speed, Response Control and Auto Throttle Advance

KUBOTA LOADER

Performance-matched front-end loader offering plenty of lift capacity

MODEL OPTIONS

ROPS^ or CAB models available

^Rollover Protective Structure (ROPS)

*0.00% comparison rate based on \$30,000 secured loan with 60 monthly repayments. For both business and consumer borrowers. This offer is only available with a minimum 20% deposit, 36 monthly repayments and a minimum financed amount of \$4,000. Credit criteria applies. No upfront fees or account keeping fees. Fees may apply depending how loan is conducted. Credit provided by Kubota Australia Pty Ltd ABN 72005300621, Australian Credit Licence Number 442007. "WARNING" The comparison rate is true only for the examples given and may not include all fees and charges. Different terms, fees or other loan amounts may result in a different comparison rate. This finance offer is available until 31/10/20 and applies to new B & L Series models." Refer to page 2 for promotion terms.



L3800HD - RCF2060 Slasher + QH10 Quick Hitch

SET FOR SPRING **PACKAGE**

L3800HD 38HP tractor

Front-end loader with std. Bucket 500kg Counterweight RCF2060 1.5m Rotary Cutter

DH1060 1.5m Disc Harrow PD25 Post Hole Digger with 6" Auger QH10 Quick Hitch

PACKAGE TOTAL \$42,300

TOTAL SAVINGS \$6,968



L3200HD - DH1060 Disc Harrow + QH10 Quick Hitch

L SERIES 32-46HP

MID-SIZED UTILITY TRACTOR

KUBOTA DIESEL ENGINE

Indirect injection, 3 or 4-cylinder Kubota diesel engines

TRANSMISSION

Your choice of reliable mechanical shuttle, synchro shuttle or HST transmission

Large platform, power steering, easy to read dash display and high back seat to keep you comfortable

LIFT CAPACITY

Category 1, 3-point hitch delivers over 651kg lift capacity on L3200/3800 and 1053kg on the L4600







MX5200

SET FOR SPRING **PACKAGE** MX5200HD 50HP tractor Front-end loader with std. Bucket 650kg Counterweight RCF2060 1.5m Rotary Cutter

DH1572 1.8m Disc Harrow PD25 Post Hole Digger with 6" Auger QH10 Quick Hitch

PACKAGE TOTAL \$55,700

TOTAL SAVINGS \$5,968

MX5200 & M7040SUHD

MID-SIZED UTILITY TRACTOR

KUBOTA DIESEL ENGINE

51 & 68 HP smooth, powerful and quiet diesel engines

TRANSMISSION

8-speed mechanical synchro shuttle, or 3-range hydrostatic transmission option on MX5200

STRONG LINKAGE

Over a tonne lift capacity on the MX5200 and 1500kg on the M7040SU

HYDRAULICS

MX5200 and M7040SU offer 35.8l and 41.6l main pump capacity respectively

COMPLETE THE PACKAGE

Kubota loaders offer ample lifting height and capacity, ideal for demanding livestock farming





FREE QUICK HITCH OFFER - MX SERIES"

A free Land Pride QH10 Quick Hitch worth \$968 with the purchase of any 2 Land Pride AG implements and get \$500 towards one further Land Pride implement with a new MX Series tractor.



POWER TO GET THE JOB DONE



M7040SUHD

M5 SERIES 93-110.5 HP

PROFESSIONAL TRACTOR SERIES

KUBOTA DIESEL ENGINE

Features a 3.8L engine that produces 93, 105 and 110.5 HP, depending on the model, and includes constant engine RPM and engine rev memory

09 / PROFESSIONAL TRACTORS

TRANSMISSION

6 synchronised gears in 3 ranges with dual speed splitter. This enables 36 gear options. Power Shuttle ensures a smooth change of direction

ULTRA GRAND CAB II

Sets the standard in comfort and control with unparalleled visibility and ergonomic design

MODEL CHOICE

Standard and narrow tractor models available







FINANCE FOR 36 MONTHS*

across the M7 Series

M7-2 SERIES 130-170 HP

PROFESSIONAL TRACTOR SERIES

KUBOTA'S MOST POWERFUL ENGINE

130 to 175 HP with boost and industry-leading constant power and torque

NEVER IN THE WRONG GEAR

Choice of 30-speed powershift or KVT variable driving to suit any operation

SIMPLE AND SOPHISTICATED

High-end components with electrohydraulics, monitor control and GPS readiness in the premium models

BIG MUSCLE

9,400kg lift capacity, up to 110L/min hydraulic flow for all-round performance

MGX SERIES 100-135 HP

Common rail engine with massive torque

24-speed powershift transmission with auto shift

Super-quiet deluxe cab

Bi-speed turn that speeds up front wheels for tight turns

Available with narrow vineyard kit

5-year Powertrain warranty



M135GX



KUBOTA LAND PRIDE IMPLEMENTS

Match your professional Kubota M Series with Land Pride's performance matched folding rotary cutters. Working widths from 12ft (3.6m) to 20ft (6.1m). A range of models to suit every application from basic farm grass maintenance to roadside mowing contractors.





17172

Z200 SERIES

RESIDENTIAL ZERO TURN MOWER

ZERO TURN MANOEUVRABILITY

Mow around garden beds, trees and obstacles with ease

HIGH QUALITY MOWER DECK

Heavy-duty 42", 48" or 54" fabricated mower decks deliver performance and reliability

CUTTING HEIGHT DIAL

Simple changes to cutting height with the turn of a dial

OPERATOR AREA

Comfortable seating position with plenty of legroom, adjustable handles, storage boxes and cup holders

Z400 SERIES

SEMI PROFESSIONAL ZERO TURN MOWERS

Rugged, commercial grade transmission, designed for heavy-duty applications

Dual operation levers are adjustable, providing smooth, precise control

Available with 48" or 54" mower decks and grass catchers



Z411

ZD SERIES PROFESSIONAL ZERO TURN MOWERS Powerful diesel engines Comfortable bucket seats with suspension, ergonomic controls, large foot platform and LCD digital display Choice of 54°, 60° and 72° fabricated mower decks - side or rear discharge available Simple changes to cutting height with the turn of a dial. Raise and lower the mower deck with hydraulic pedals and steer with levers requiring minimal operator force, keeping you comfortable all day

ZD1221

人いかってつ。

22.



GR2120

GR & T SERIES

RIDE ON MOWERS

PETROL OR DIESEL

T Series features powerful twin cylinder petrol engines, while the GR Series uses a reliable 3-cylinder Kubota diesel engine

RIDE-ON SIMPLICITY

Equipped with hydrostatic transmission for precise control

MOWER DECKS

T Series' fabricated mower decks provide years of dependable use. GR's contoured mower decks come in two sizes, 48" and 54"

OPERATOR AREA

Full flat operator platform, high back seat and cruise control provide comfort during long operation

GLIDE STEER TECHNOLOGY

GR Series offers excellent turning ability with front wheels turning up to 70 degrees, while inside rear wheel tracks freely when completing turns

ALL-WHEEL DRIVE

Perfect for rolling terrain, the GR Series all-wheel drive provides outstanding traction. GR features shaft-driven mower, transmission and PTO for trouble free operation



T2290

SMOOTH RIDE, SHARP RESULTS **F90 SERIES** 1.9% PROFESSORIAL OUT FRONT 4WD MOWER 28 and 36 HP diesel engine models FINANCE Your choice of 60" or 72" side or rear discharge heavy-duty pro commercial mower decks FOR 36 MONTHS** 2-range hydrostatic transmission across the F90 Series 90-degree tilt mower deck provides unobstructed access to blades and deck underside for easy cleaning 61L fuel tank reduces downtime Grass catcher available to order F90 SERIES

F3690

**Offer is available for business borrowers only. This 1.90% p.a. finance rate offer is only available with a minimum 20% deposit, 36 monthly repayments and minimum financed amount of \$4,000. Credit criteria applies. No upfront fees or account keeping fees. Fees may apply depending how loan is conducted. Different term and different deposit may result in a different rate. Credit provided by Kubota Australia Pty Ltd ABN 72005300621. This finance offer is available until 31/10/20 and applies to new F Series models.



LAWN CARE RANGE, **BUILT TO LAST**



HANDHELD BLOWER

Robust and powerful, Kubota's handheld blower is designed to optimise your productivity. The KBL31 is powerful enough for professional users, for clearing dead leaves, cut grass or other waste. Being lightweight and simple to use also makes the handheld blower perfect for jobs around the house



SELF PROPELLED WALK BEHIND MOWERS

Heavy duty aluminium die-cast deck with reinforcement for excellent durability

4 blades are standard for fine cutting

Shaft drive rear wheel transmission that greatly reduces maintenance work compared to belt-driven

Blade clutch brake stops blades quickly for added safety and allows emptying of 75L grass bag safely, without stopping the engine



HEDGETRIMMER

Well balanced, robust and reliable in design, Kubota's 2-stroke hedgetrimmer provides an impeccable clean cut with every pass to meet the needs of professionals and home owners alike



BRUSHCUTTERS

Designed for both home owners and contractors. Powered by reliable 2-stroke engines that keep on going. Designed with comfort and safety in mind, the heavy duty, straight shaft models cushion vibrations, for increased operator comfort. Single or double handle models available, plus additional attachments to suit every application and operator

KUBOTA'S RELIABLE **GENERATOR RANGE**

SQ SERIES

DIESEL GENERATOR

AUTO START CONTROLLER

The Deep Sea 4520 Auto Start Controller has a large back lit screen, which clearly displays operator information in an easy-to-read manner

NEW FEATURES

Waterproof recessed button receptacles, a new emergency stop button, compliant with standard AS3000 wiring, factory tested to AS33017 and RCD for each outlet (RCBO on single phase outlets)

A limit switch has been added to shut down engine when door opens. A battery isolator has been added and a larger capacity fuel tank (62L > 100L), which enables 24 hours run time

All components have been recessed and a single key entry door has been added. The base has been strengthened to improve mobility

GL SERIES

COMPACT DIESEL GENERATOR

Circuit breakers and Residual Current Device (RCD) are factory fitted, offering a high level of personal protection from electrical shock

Easy maintenance (Single Side Servicing)

New Auto Start Controller (digital option only) features a large backlit screen to clearly display operator information

KD SERIES

COMPACT DIESEL GENERATOR

Compact generator for fast and reliable power

All-Australian design

Oil-cooled diesel engine

Weatherproof receptacles

Easy to move around


KBC26H-RS *Offer is available for business borrowers only. This 0.90% p.a. finance rate offer is only available with a minimum 20% deposit, 36 monthly repayments and minimum financed amount of \$4,000. Terms, conditions, fees, charges and credit criteria apply. Different term and different deposit may result in a different rate. Credit provided by Kubota Australia Pty Ltd ABN 72005300621. This finance offer is available until 31/10/20 and applies to new Diesel Generators & Power Packs. Customer Instant Rebate is subtracted from dealer's selling price as a discount at a time of slaes and not redeemable for cash. The offer ends 31/10/20.

**Customer Instant Rebate is subtracted from dealer's selling price as a discount at a time of sales and not redeemable for cash. The offer ends 31/10/20.



SQ 1150





*0.00% comparison rate based on \$30,000 secured loan with 60 monthly repayments. For both business and consumer borrowers. This offer is only available with a minimum 20% deposit, 36 monthly repayments and a minimum financed amount of \$4,000. Credit criteria applies. No upfront fees or account keeping fees. Fees may apply depending how loan is conducted. Credit provided by Kubota Australia Pty Ltd ABN 72005300621, Australian Credit Licence Number 442007. "WARNING" The comparison rate is true only for the examples given and may not include all fees and charges. Different terms, fees or other loan amounts may result in a different comparison rate. This finance offer is available until 31/10/20 and applies to new RTV Series models. Customer Instant Rebate is subtracted from dealer's selling price as a discount at a time of sales and not redeemable for cash. The offer ends 31/10/20.

**Customer Instant Rebate is subtracted from dealer's selling price as a discount at a time of sales and not redeemable for cash. The offer ends 31/10/20.

ARollover Protective Structure (ROPS)

COMPARISON RATE FOR 36 MONTHS*

across the RTV Range

RTV-XG850

SIDEKICK UTILITY VEHICLES

HIGHER SPEED

Fast acceleration and higher transport speed (up to 64km/h) come from a powerful 48HP petrol engine

KUBOTA'S CVT PLUS TRANSMISSION

Featuring a centrifugal clutch designed to keep the thick, double cogged belt tight ensuring fast response and excellent belt durability

SPEED-SENSITIVE EPS

Light at low-speed and firm at high-speed, EPS (Electronic Power Steering) offers exceptional handling and stability

INDEPENDENT SUSPENSION

Even at high speeds the front and rear independent suspension delivers a smooth ride and offers plenty of clearance

TOWING CAPACITY

907kg towing capacity for a wide range of jobs

RTV500

16HP liquid cooled petrol engine

Hydrostatic transmission that keeps you in control during descents with engine-assisted deceleration

Selectable 2WD or 4WD with diff lock

RTV-X1140

4-seater people mover that converts easily from 1 to 2 rows of seating

Hydraulic tipping cargo box

Full ROPS^ protection

Kubota 3-cylinder diesel engine

2-range hydrostatic transmission with dynamic braking

RTV-X900

Heavy-duty 22HP diesel utility vehicles

VHT-X 2-range hydrostatic transmission

Safety of dynamic braking

Well placed controls, contoured seats and generous legroom

Hydraulic tripping cargo tray



RTV-X1140



RTV-X1120





ECB950-COLLECT

QUALITY THAT CUTS TO THE CHASE



ECR360



AM-R320

ECB MOWERS

Triple Combination Mowers from 8.7m to 10.1m

New M-Roll super conditioner for ECB1000CR mowers

High output rates and heavy construction for massively efficient mowing

ECB950-Collect non-conditioner mower available with augers, cut crop wide or merge into one central windrow

ECF MOWERS

Front mounted mowers from 3.2m to 3.6m

Swath boards for a narrow windrow on roller conditioner models.

Entire ECF range available with a trailed headstock integrated with suspension springs

ECR MOWERS

Work widths 2.8m to 4.0m without conditioner, new M-Roll steel super conditioner, rubber or V-Tine conditioner

DuoGrip Centre of Gravity Suspension system for a uniform ground pressure across the work width

AM-R MOWERS

Working width from 2.4m to 3.6m

SafeCut and SmartCut included

Quick change blades

Heavy headstock and blade box

Driven by drive shaft - no belts



KWT1300

ROW AFTER ROW OF RELENTLESS PERFORMANCE

TEDDER RANGE

Linkage tedders with working widths from 4.6m to 11m

Trailed tedders with working widths from 8.8m to 19.6m

Krone's OctoLink clutches are always in mesh for full power and do not require greasing

Features the heaviest square tube frame on the market with the gearbox installed under the frame to maintain strength in the frame

EASYCUT TRAILED CENTRE 4M & 5M

Widest conditioner rollers in the industry

Optional 3m transport kit, switch from field to road position from inside the cab

4 conditioning systems available – Non-conditioner, Flail conditioner, Rubber and Steel roller conditioners.

Steel conditioner design comes from North America (not an M-roll), however suits very well in Australian high crop conditions



EASYCUT TRAILED CENTRE ECTC400 WITH OPTIONAL TRANSPORT KIT



EC TRAILED MOWERS - ECTC320CRS



EC TRAILED MOWERS

a wide working width of 3.6m

Trailed Mowers from 2.8m to 6.2m

New ECTC & ECTS (Trailed Centre & Side) mower range available in CV conditioner,

rubber and M-Roll Steel roller conditioner

ECTS360CR/S and ECTS360CV available with



SWADRO TC1000

EXCEPTIONAL PERFORMANCE



ZX WAGON



RX400GD

SWADRO RAKES

Single Rotor working widths between 3.5m to 4.6m

The TC / TS Multi Rotor range with working widths up to 19m

Fully enclosed gearbox with Dry Cam Track design, no oil leaks

Mechanical or fully electric height adjustment from the cab

O%
FINANCE FOR UP
TO 12 MONTHS*

across the Krone Range with other finance offers available

WAGON RANGE

AX/MX/RX/ZX (28M³ - 56M³)

Boost your productivity and effectiveness with the camless pick up design and large rotors with hardox tines

Simply swing out the complete knife bank for easy access to knives

Speedsharp system and hydraulic pivoting front wall on RX and ZX wagons

ZX wagon highest capacity silage wagon on the planet



NEW VARIPACK



V180XC-2



CV150XC-2

NEW KRONE VARIPACK

LIMITED STOCK FOR 2020

New VariPack belt baler line up includes the standard V165(XC), V190(XC) and the Plus versions V165XCPlus and V190XCPlus

Four 275mm wide endless heavy duty belts for the highest bale densities in the market

Door cycle time of 4-5 seconds

Highest productivity in the market

New 3-zone bale density adjustment from cab

Easy insert net wrap system

FACELIFT COMPRIMA ROUND BALER

Produces tight core bales with V150(XC): 0.9m to 1.5m and V180(XC): 0.9m to 1.8m

Novogrip Belt and Slat Elevator system

Now offer a drop floor for non-cutter balers

New W-Pattern tine arrangement

Hard or soft core adjustment

COMPRIMA COMBI PACK

New W-Pattern tine arrangement camless pick-up for constant flow of crop

New ultrasound sensor that replaces the sensor arms on the wrapping table

Extra wheel and rubber mat on the bale turner

FORTIMA ROUND BALER

V1500-2(MC) and V1800-2 (MC) producing 0.9m to 1.5m and 0.9m to 1.8m

Chain and Slat Elevator system

New updated feed rotor on non-cutter model





SC SEEDING COMBINATION

THE BEST START FOR YOUR SOIL





DS SERIES FERTILISER SPREADERS

Hopper capacity from 700L right up to 4,575L for efficient spreading $\,$

Spreading widths from 9m right up to 54m on our range topping DSX models

Section control with 1m sections on the GEOSPREAD range of spreaders

Left and right Trim Flow border spreading for accurate application right to the boundary

Electrically controlled hopper cover makes opening and closing easy from the drivers seat

DC DISC CDDEVDEDS



CD COMPACT DISCS

Robust disc arms and high capacity maintenance free bearings deliver excellent durability

Actipack Roller for clod crushing and very firm re-compaction of the soil

Available in 2m to 7m working widths

Easily adapted for heavy and sticky soil conditions

CD COMPACT DISCS







SPARTAN NO-TILL AIR DRILL RANGE

Triple Disc with independent 17' x 5/8" Turbo Coulter and 07 Series Double Disc Opener

6m and 9m working width & 3m transport

6" or 7.5" row spacing with individual row shut-off for alternate row seeding or wider row spacing

Variable rate hydraulically driven meters

2 x 2,885L hoppers on 6m Spartan and 2 x 3,500L on 9m

Dickey John Blockage monitor system as standard

9m Spartan features a 10" loading auger with wireless remote control as standard



NTA907-2 - 9M SPARTAN NO-TILL AIR DRILL

DELIVERING PERFORMANCE







MECHANICAL DRILL RANGE

800 MIN-TILL DRILL

7ft 6" (2.3m) working width

9ft 9" (2.9m) transport width

15 row - 6" (152mm) row spacing

Main seed, fertiliser and small seed

00 series double disc opener

Minimum 45HP

V300F NO-TILL 3m DRILL

3m transport and working width

19 row - 6.22" (158mm) row spacing

Large 3,100L main hopper with adjustable partition for main seed & fertiliser

Main seed, fertiliser and small seed

Triple Disc - 18" Turbo Coulter with 00 Series Double Disc Opener min. 100HP

1200, 1500 & 2000 DRILLS (WITH NO-TILL HITCH)

3 models 12ft (3.6m), 15ft (4.6m) and 20ft (6.1m)

Row spacing options from 6'

Main seed, fertiliser and small seed

Triple disc - 18" Turbo Coulter with 00 Series Double Disc Opener

Centre Pivot Hitch maintains coulter and double disc alignment in turns

MAX CHISEL

AGGRESSIVE PRIMARY TILLAGE WITH 3 WORK ZONES

- 2 rows of individually mounted 24" Samurai edge blades aggressively remove root balls while mixing and incorporating the top 4"-5" of soil
- 2 rows of chisel shanks work down to 12" (305mm) deep
- A rear chopper reel and roller ensures a smooth uniform finish

3.5m - 5.8m working width

Heavy duty toggle trip shanks with 2,450lbs (1,111kg)

IN LINE SUB-SOILER

In line shanks to effectively reset the soil profile shattering density layers

Optimum horizontal fracture without surface blowout

3/4" wide shank for minimal surface disturbance

No-Till points minimizes surface disturbance while maximizing shatter below the surface

Up to 500mm working depth



MAX CHISFI



IN-LINE SUB-SOILER





KUBOTA 2020 SPRING CATALOGUE KUBOTA.COM.AU

ALL PROUDLY DISTRIBUTED BY KUBOTA AUSTRALIA